



| Capacity (mL) | Size (USgph) | Scale (mL) | A (in) | B (in) | C (in) | D (in) |
|---------------|--------------|------------|--------|--------|--------|--------|
| 30 mL         | .95          | 1          | 14     | 1.4    | 1/4    | 2      |
| 100 mL        | 3.2          | 2          | 15     | 2.5    | 1/2    | 2      |
| 200 mL        | 6.4          | 2          | 21     | 2.5    | 1/2    | 2      |
| 500 mL        | 16           | 5          | 15     | 3.5    | 3/4    | 2      |
| 1000 mL       | 32           | 5          | 27     | 3.5    | 3/4    | 2      |
| 2000 mL       | 63           | 10         | 27     | 5.0    | 1      | 2      |
| 4000 mL       | 127          | 10         | 39     | 5.0    | 1      | 2      |
| 10000 mL      | 320          | 20         | 27     | 9.15   | 2      | 2      |
| 20000 mL      | 640          | 20         | 39     | 9.15   | 2      | 2      |

**2000 mL & 4000 mL Columns with PTFE End Caps ONLY:**

| Capacity (mL) | Size (USgph) | Scale (mL) | A (in) | B (in) | C (in) | D (in) |
|---------------|--------------|------------|--------|--------|--------|--------|
| 2000 mL       | 63           | 10         | 26     | 5.0    | 1      | 1.5    |
| 4000 mL       | 127          | 10         | 38     | 5.0    | 1      | 1.5    |



**Griffco Valve Inc.**  
 6010 N.Bailey Ave, Ste 1B  
 Amherst, NY 14226  
 Phone: 1 800-474-3326  
 Fax: 1 716-835-0893

**Glass- Dimensions  
 Calibration Cylinder**